

## Purlyf 2g Strawnana Live Resin Dispo

Sample ID: SA-240523-40785

Batch: 0003

Type: Finished Product - Inhalable

Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 06/05/2024

Completed: 06/13/2024

**Client**

Simple Inc  
980 W 17th ST  
Santa Ana, CA 92706  
USA


### Summary

**Test**  
Cannabinoids

**Date Tested**  
06/13/2024

**Status**  
Tested

ND	73.7 %	75.0 %	Not Tested	Not Tested	Yes
Total Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

### Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.733	7.33
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	0.155	1.55
Δ4,8-iso-THC	0.0067	0.02	0.148	1.48
Δ8-iso-THC	0.0067	0.02	0.0670	0.670
Δ8-THC	0.0104	0.0312	73.7	737
Δ8-THCV	0.0067	0.02	0.141	1.41
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
exo-THC		0.02	0.0368	0.368
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>75.0</b>	<b>750</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



Generated By: Ryan Bellone  
CCO  
Date: 06/13/2024



Tested By: Nicholas Howard  
Scientist  
Date: 06/13/2024

ILAC-MRA  
ISO/IEC 17025:2017 Accredited  
Accreditation #108651

PJLA  
Testing


# Purlyf 2g Pineapple Mango Express Live Resin Dispense

Sample ID: SA-240523-40784

Batch: 0003

Type: Finished Product - Inhalable

Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 06/05/2024

Completed: 06/13/2024

**Client**

Simple Inc  
980 W 17th ST  
Santa Ana, CA 92706  
USA


## Summary

**Test**  
Cannabinoids

**Date Tested**  
06/13/2024

**Status**  
Tested

ND	74.1 %	75.4 %	Not Tested	Not Tested	Yes
Total Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

## Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.728	7.28
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	0.145	1.45
Δ4,8-iso-THC	0.0067	0.02	0.137	1.37
Δ8-iso-THC	0.0067	0.02	0.0724	0.724
Δ8-THC	0.0104	0.0312	74.1	741
Δ8-THCV	0.0067	0.02	0.148	1.48
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
exo-THC		0.02	0.0379	0.379
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>75.4</b>	<b>754</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



Generated By: Ryan Bellone  
CCO  
Date: 06/13/2024



Tested By: Nicholas Howard  
Scientist  
Date: 06/13/2024

ISO/IEC 17025:2017 Accredited  
Accreditation #108651


This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.