



Certificate of Analysis

Customer Information

Client: Evolution Distro
Attention: (407) 342-1669
Address: 226 NW 4th Avenue
 Hallandale Beach, FL 33009

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: 01.26-DRAGON FP
Lot Number: DRAGON - 50CT WMD
Description: Hard-shell capsule
Condition: Good
Job ID: ISO06095
Sample ID: I16998
Received: 28JAN2026
Completed: 02FEB2026
Issued: 02FEB2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 31JAN2026 | 0251

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	8.84	mg/unit	0.034	N/A
7-Hydroxymitragynine	Report Results	0.0316	mg/unit	0.0092	N/A
Paynantheine	Report Results	1.64	mg/unit	0.034	N/A
Speciogynine	Report Results	1.24	mg/unit	0.034	N/A
Speciociliatine	Report Results	2.99	mg/unit	0.034	N/A
Total Mitragyna Alkaloids	Report Results	14.8	mg/unit	0.034	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 31JAN2026 | 0251

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.43	w/w%	0.0056	N/A
7-Hydroxymitragynine	Report Results	0.00512	w/w%	0.0015	N/A
Paynantheine	Report Results	0.266	w/w%	0.0056	N/A
Speciogynine	Report Results	0.202	w/w%	0.0056	N/A
Speciociliatine	Report Results	0.485	w/w%	0.0056	N/A
Total Mitragyna Alkaloids	Report Results	2.39	w/w%	0.0056	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 29JAN2026 | 1304

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.419	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.018	ug/g	0.002	PASS
Mercury	NMT 0.20	0.018	ug/g	0.002	PASS
Lead	NMT 5.00	0.521	ug/g	0.002	PASS

Moisture Content

Method Code: T505

Tested: 02FEB2026 | 0905

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Moisture	Report Results	5.38	%	0.1	N/A

7-Hydroxymitragynine Limit (0.04%)

Method Code: 813

Tested: 02FEB2026 | 0905

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
7-Hydroxymitragynine	NMT 400 PPM	54	ppm	16	PASS

Microbiological Examination

Method Code: T005

Tested: 29JAN2026 | 1628

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	80	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight of 0.617 grams. For potency analysis, the outer capsule shell was removed and not included in the w/w% potency or unit weight analysis. T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:

DWB w/w% = (as-received w/w%) ÷ (1 – moisture%/100).

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:**Name:**

Tyler West

Position:

Laboratory Director

Department:

Management

Date:

02FEB2026



Certificate of Analysis

Customer Information

Client: Evolution Distro
Attention: (407) 342-1669
Address: 226 NW 4th Avenue
 Hallandale Beach, FL 33009

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: 01.26-DRAGON FP
Lot Number: DRAGON - 50CT RMD
Description: Hard-shell capsule
Condition: Good
Job ID: ISO06095
Sample ID: I16997
Received: 28JAN2026
Completed: 02FEB2026
Issued: 02FEB2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 31JAN2026 | 0224

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	7.54	mg/unit	0.031	N/A
7-Hydroxymitragynine	Report Results	0.0216	mg/unit	0.0082	N/A
Paynantheine	Report Results	1.42	mg/unit	0.031	N/A
Speciogynine	Report Results	1.06	mg/unit	0.031	N/A
Speciociliatine	Report Results	2.57	mg/unit	0.031	N/A
Total Mitragyna Alkaloids	Report Results	12.6	mg/unit	0.031	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 31JAN2026 | 0224

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.32	w/w%	0.0054	N/A
7-Hydroxymitragynine	Report Results	0.00378	w/w%	0.0014	N/A
Paynantheine	Report Results	0.248	w/w%	0.0054	N/A
Speciogynine	Report Results	0.186	w/w%	0.0054	N/A
Speciociliatine	Report Results	0.449	w/w%	0.0054	N/A
Total Mitragyna Alkaloids	Report Results	2.21	w/w%	0.0054	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 29JAN2026 | 1254

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.385	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.049	ug/g	0.002	PASS
Mercury	NMT 0.20	0.018	ug/g	0.002	PASS
Lead	NMT 5.00	0.619	ug/g	0.002	PASS

Moisture Content

Method Code: T505

Tested: 02FEB2026 | 0853

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Moisture	Report Results	5.80	%	0.1	N/A

7-Hydroxymitragynine Limit (0.04%)

Method Code: 813

Tested: 02FEB2026 | 0853

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
7-Hydroxymitragynine	NMT 400 PPM	40	ppm	15	PASS

Microbiological Examination

Method Code: T005

Tested: 29JAN2026 | 1628

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	120	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight of 0.572 grams. For potency analysis, the outer capsule shell was removed and not included in the w/w% potency or unit weight analysis. T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:

DWB w/w% = (as-received w/w%) ÷ (1 – moisture%/100).

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:**Name:**

Tyler West

Position:

Laboratory Director

Department:

Management

Date:

02FEB2026



Certificate of Analysis

Customer Information

Client: Evolution Distro
Attention: (407) 342-1669
Address: 226 NW 4th Avenue
 Hallandale Beach, FL 33009

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: 01.26-DRAGON FP
Lot Number: DRAGON - 50CT W.BORNEO
Description: Hard-shell capsule
Condition: Good
Job ID: ISO06095
Sample ID: I16999
Received: 28JAN2026
Completed: 02FEB2026
Issued: 02FEB2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 31JAN2026 | 0319

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	8.47	mg/unit	0.036	N/A
7-Hydroxymitragynine	Report Results	0.0296	mg/unit	0.0095	N/A
Paynantheine	Report Results	1.58	mg/unit	0.036	N/A
Speciogynine	Report Results	1.19	mg/unit	0.036	N/A
Speciociliatine	Report Results	2.85	mg/unit	0.036	N/A
Total Mitragyna Alkaloids	Report Results	14.1	mg/unit	0.036	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 31JAN2026 | 0319

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.32	w/w%	0.0056	N/A
7-Hydroxymitragynine	Report Results	0.00462	w/w%	0.0015	N/A
Paynantheine	Report Results	0.246	w/w%	0.0056	N/A
Speciogynine	Report Results	0.185	w/w%	0.0056	N/A
Speciociliatine	Report Results	0.445	w/w%	0.0056	N/A
Total Mitragyna Alkaloids	Report Results	2.20	w/w%	0.0056	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 29JAN2026 | 1313

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.436	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.079	ug/g	0.002	PASS
Mercury	NMT 0.20	0.014	ug/g	0.002	PASS
Lead	NMT 5.00	0.532	ug/g	0.002	PASS

Moisture Content

Method Code: T505

Tested: 02FEB2026 | 0912

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Moisture	Report Results	5.75	%	0.1	N/A

7-Hydroxymitragynine Limit (0.04%)

Method Code: 813

Tested: 02FEB2026 | 0912

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
7-Hydroxymitragynine	NMT 400 PPM	49	ppm	16	PASS

Microbiological Examination

Method Code: T005

Tested: 29JAN2026 | 1628

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	100	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight of 0.640 grams. For potency analysis, the outer capsule shell was removed and not included in the w/w% potency or unit weight analysis. T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:

DWB w/w% = (as-received w/w%) ÷ (1 – moisture%/100).

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:**Name:**

Tyler West

Position:

Laboratory Director

Department:

Management

Date:

02FEB2026



Certificate of Analysis

Customer Information

Client: Evolution Distro
Attention: (407) 342-1669
Address: 226 NW 4th Avenue
 Hallandale Beach, FL 33009

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: 01.26-DRAGON FP
Lot Number: DRAGON - 50GM G.MALAY
Description: Finely ground plant material
Condition: Good
Job ID: ISO06095
Sample ID: I17001
Received: 28JAN2026
Completed: 02FEB2026
Issued: 02FEB2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 31JAN2026 | 0413

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.32	w/w%	0.0053	N/A
7-Hydroxymitragynine	Report Results	0.00496	w/w%	0.0014	N/A
Paynantheine	Report Results	0.236	w/w%	0.0053	N/A
Speciogynine	Report Results	0.178	w/w%	0.0053	N/A
Speciociliatine	Report Results	0.382	w/w%	0.0053	N/A
Total Mitragyna Alkaloids	Report Results	2.12	w/w%	0.0053	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 29JAN2026 | 1545

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.199	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.056	ug/g	0.002	PASS
Mercury	NMT 0.20	0.015	ug/g	0.002	PASS
Lead	NMT 5.00	0.357	ug/g	0.002	PASS

Moisture Content

Method Code: T505

Tested: 02FEB2026 | 0953

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Moisture	Report Results	4.79	%	0.1	N/A

7-Hydroxymitragynine Limit (0.04%)

Method Code: 813

Tested: 02FEB2026 | 0953

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
7-Hydroxymitragynine	NMT 400 PPM	52	ppm	15	PASS

Microbiological Examination

Method Code: T005

Tested: 29JAN2026 | 1628

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	110	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:

DWB w/w% = (as-received w/w%) ÷ (1 – moisture%/100).

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

02FEB2026



Certificate of Analysis

Customer Information

Client: Evolution Distro
Attention: (407) 342-1669
Address: 226 NW 4th Avenue
 Hallandale Beach, FL 33009

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: 01.26-DRAGON FP
Lot Number: DRAGON - 50CT GMD
Description: Hard-shell capsule
Condition: Good
Job ID: ISO06095
Sample ID: I16996
Received: 28JAN2026
Completed: 02FEB2026
Issued: 02FEB2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 30JAN2026 | 1114

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	8.97	mg/unit	0.037	N/A
7-Hydroxymitragynine	Report Results	0.0172	mg/unit	0.0099	N/A
Paynantheine	Report Results	1.67	mg/unit	0.037	N/A
Speciogynine	Report Results	1.28	mg/unit	0.037	N/A
Speciociliatine	Report Results	3.07	mg/unit	0.037	N/A
Total Mitragyna Alkaloids	Report Results	15.0	mg/unit	0.037	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 30JAN2026 | 1114

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.32	w/w%	0.0055	N/A
7-Hydroxymitragynine	Report Results	0.00252	w/w%	0.0015	N/A
Paynantheine	Report Results	0.245	w/w%	0.0055	N/A
Speciogynine	Report Results	0.188	w/w%	0.0055	N/A
Speciociliatine	Report Results	0.451	w/w%	0.0055	N/A
Total Mitragyna Alkaloids	Report Results	2.21	w/w%	0.0055	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 29JAN2026 | 1245

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.402	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.034	ug/g	0.002	PASS
Mercury	NMT 0.20	0.019	ug/g	0.002	PASS
Lead	NMT 5.00	0.590	ug/g	0.002	PASS

Moisture Content

Method Code: T505

Tested: 02FEB2026 | 0842

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Moisture	Report Results	5.71	%	0.1	N/A

7-Hydroxymitragynine Limit (0.04%)

Method Code: 813

Tested: 02FEB2026 | 0842

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
7-Hydroxymitragynine	NMT 400 PPM	27	ppm	16	PASS

Microbiological Examination

Method Code: T005

Tested: 29JAN2026 | 1628

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	200	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight of 0.680 grams. For potency analysis, the outer capsule shell was removed and not included in the w/w% potency or unit weight analysis. T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:

DWB w/w% = (as-received w/w%) ÷ (1 – moisture%/100).

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:**Name:**

Tyler West

Position:

Laboratory Director

Department:

Management

Date:

02FEB2026



Certificate of Analysis

Customer Information

Client: Evolution Distro
Attention: (407) 342-1669
Address: 226 NW 4th Avenue
 Hallandale Beach, FL 33009

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: 01.26-DRAGON FP
Lot Number: DRAGON - 50GM R.BALI
Description: Finely ground plant material
Condition: Good
Job ID: ISO06095
Sample ID: I17000
Received: 28JAN2026
Completed: 02FEB2026
Issued: 02FEB2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 31JAN2026 | 0346

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.07	w/w%	0.0053	N/A
7-Hydroxymitragynine	Report Results	0.00632	w/w%	0.0014	N/A
Paynantheine	Report Results	0.211	w/w%	0.0053	N/A
Speciogynine	Report Results	0.160	w/w%	0.0053	N/A
Speciociliatine	Report Results	0.315	w/w%	0.0053	N/A
Total Mitragyna Alkaloids	Report Results	1.77	w/w%	0.0053	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 29JAN2026 | 1538

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.282	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.124	ug/g	0.002	PASS
Mercury	NMT 0.20	0.015	ug/g	0.002	PASS
Lead	NMT 5.00	0.407	ug/g	0.002	PASS

Moisture Content

Method Code: T505

Tested: 02FEB2026 | 0932

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Moisture	Report Results	5.68	%	0.1	N/A

7-Hydroxymitragynine Limit (0.04%)

Method Code: 813

Tested: 02FEB2026 | 0932

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
7-Hydroxymitragynine	NMT 400 PPM	67	ppm	15	PASS

Microbiological Examination

Method Code: T005

Tested: 29JAN2026 | 1628

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	1,380	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	20	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:

$DWB\ w/w\% = (as\text{-received}\ w/w\%) \div (1 - moisture\%/100)$.

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

02FEB2026



Certificate of Analysis

Customer Information

Client: Evolution Distro
Attention: (407) 342-1669
Address: 226 NW 4th Avenue
 Hallandale Beach, FL 33009

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: 01.26-DRAGON FP
Lot Number: DRAGON - 50GM - HURRICANE
Description: Finely ground plant material
Condition: Good
Job ID: ISO06095
Sample ID: I17002
Received: 28JAN2026
Completed: 02FEB2026
Issued: 02FEB2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 31JAN2026 | 0440

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.34	w/w%	0.0053	N/A
7-Hydroxymitragynine	Report Results	0.00503	w/w%	0.0014	N/A
Paynantheine	Report Results	0.239	w/w%	0.0053	N/A
Speciogynine	Report Results	0.181	w/w%	0.0053	N/A
Speciociliatine	Report Results	0.386	w/w%	0.0053	N/A
Total Mitragyna Alkaloids	Report Results	2.15	w/w%	0.0053	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 29JAN2026 | 1555

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.185	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.044	ug/g	0.002	PASS
Mercury	NMT 0.20	0.017	ug/g	0.002	PASS
Lead	NMT 5.00	0.343	ug/g	0.002	PASS

Moisture Content

Method Code: T505

Tested: 02FEB2026 | 0959

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Moisture	Report Results	4.80	%	0.1	N/A

7-Hydroxymitragynine Limit (0.04%)

Method Code: 813

Tested: 02FEB2026 | 0959

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
7-Hydroxymitragynine	NMT 400 PPM	53	ppm	15	PASS

Microbiological Examination

Method Code: T005

Tested: 29JAN2026 | 1628

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	20	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:

DWB w/w% = (as-received w/w%) ÷ (1 – moisture%/100).

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

02FEB2026