



**Brite
Box
Labs** inc.

GC/MS ANALYSIS

ANALYTICAL REPORT

Brite Box Labs Inc.
20756 High Desert Ct Ste 6
Bend, OR 97701
(541) 299-2008
info@briteboxlabs.com
Briteboxlabs.com

Client: Ferris Wheel

Batch Number: BRST481



Work Order: BB290

Job: NA

Report Date: June 21, 2026

Project: NA

Sample Count: 1

Sample ID: Description: **Ferris Wheel - Gummies - Blue Razz 10ct** Date Analyzed: 6/20/2026
Analyst: BF

The sample was run in scan mode on a GC/MS scanning from 35-500m/z. Any peaks found were tentatively identified by matching the mass spectra against the NIST 11, containing over 200,000 compounds and the SWGDRUG mass spectra databases, which incorporates over 3800 illicit and recreational drugs. The following two compounds were tentatively identified:

Name	Type
Caffeine	Stimulant
Glycerol triacprylate	Triglyceride coating agent

Chromatogram:



Technical Director

Note:

- *For Research, Forensic, and Harm Reduction Purposes
- *Extracts are prepared in concentrations within DEA exemption limits
- *Samples are immediately rendered unusable upon completion of assay

Certificate of Analysis

Produced: Jul 09, 2026

Sample: Ferris Wheel - Gummies - Blue Razz - 10ct (Edible Solid) • Client: TRE House • Batch: Pass



Batch No.: BRST481
Matrix: Edible Solid
Sample ID: ICC-260707-14-006
Collected on: Jul 07, 2026
Received on: Jul 07, 2026
Batch Size:
Sample Size:

Batch Result: Pass

Solvents	Pass
Metals	Pass
Microbial	Pass
Mycotoxins	Pass
Pesticides	Pass

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.0650/0.195	Pass	Hexane	290	ND	3.26/9.79	Pass
Acetone	5000	ND	24.0/72.0	Pass	Isopropyl alcohol	5000	ND	27.7/83.0	Pass
Acetonitrile	410	ND	4.03/12.1	Pass	Methanol	3000	ND	22.6/67.8	Pass
Benzene	1	ND	0.0192/0.0576	Pass	Methylene chloride	1	ND	5.09/15.3	Pass
Butane	5000	ND	24.9/74.7	Pass	Pentane	5000	ND	23.3/69.8	Pass
Chloroform	1	ND	0.662/1.98	Pass	Propane	5000	ND	18.1/54.2	Pass
Ethanol	5000	ND	20.7/62.0	Pass	Toluene	890	ND	9.69/29.1	Pass
Ethyl acetate	5000	ND	25.3/75.9	Pass	Trichloroethylene	1	ND	0.605/1.82	Pass
Ethylene oxide	1	ND	1.20/3.60	Pass	o-Xylene	ND	ND	12.1/36.4	N/A
Ethyl ether	5000	ND	29.6/88.8	Pass	p- and m-Xylene	ND	ND	12.5/37.5	N/A
Heptane	5000	ND	27.3/82.0	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass



[Signature]

[Signature]

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable)
• Jul 09, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.06/3.18	N/A	Aflatoxin G2		ND	0.718/2.45	N/A
Aflatoxin B2		ND	0.918/2.75	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.32/6.96	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					



Signature

Signature



**Brite
Box
Labs**
inc.

GC/MS ANALYSIS

ANALYTICAL REPORT

Brite Box Labs Inc.
20756 High Desert Ct Ste 6
Bend, OR 97701
(541) 299-2008
info@briteboxlabs.com
Briteboxlabs.com

Client: Ferris Wheel

Batch Number: APLS627



Work Order: BB290

Job: NA

Report Date: June 21, 2026

Project: NA

Sample Count: 1

Sample ID: Description: **Ferris Wheel - Gummies - Sour Apple 10ct** Date Analyzed: 6/20/2026
Analyst: BF

The sample was run in scan mode on a GC/MS scanning from 35-500m/z. Any peaks found were tentatively identified by matching the mass spectra against the NIST 11, containing over 200,000 compounds and the SWGDRUG mass spectra databases, which incorporates over 3800 illicit and recreational drugs. The following two compounds were tentatively identified:

Name	Type
Caffeine	Stimulant
Glycerol triacrylate	Triglyceride coating agent

Chromatogram:



Technical Director

Note:

- *For Research, Forensic, and Harm Reduction Purposes
- *Extracts are prepared in concentrations within DEA exemption limits
- *Samples are immediately rendered unusable upon completion of assay

Certificate of Analysis

Produced: Jul 09, 2026

Sample: Ferris Wheel - Gummies - Sour Apple - 10ct (Edible Solid) • Client: TRE House • Batch: Pass



Batch No.: APLS627
Matrix: Edible Solid
Sample ID: ICC-260707-14-003
Collected on: Jul 07, 2026
Received on: Jul 07, 2026
Batch Size:
Sample Size:

Batch Result: Pass

Solvents	Pass
Metals	Pass
Microbial	Pass
Mycotoxins	Pass
Pesticides	Pass

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.0652/0.196	Pass	Hexane	290	ND	3.27/9.81	Pass
Acetone	5000	ND	24.1/72.2	Pass	Isopropyl alcohol	5000	ND	27.8/83.3	Pass
Acetonitrile	410	ND	4.04/12.1	Pass	Methanol	3000	ND	22.7/68.0	Pass
Benzene	1	ND	0.0192/0.0577	Pass	Methylene chloride	1	ND	5.10/15.3	Pass
Butane	5000	ND	25.0/74.9	Pass	Pentane	5000	ND	23.3/70.0	Pass
Chloroform	1	ND	0.664/1.99	Pass	Propane	5000	ND	18.1/54.3	Pass
Ethanol	5000	ND	20.7/62.2	Pass	Toluene	890	ND	9.72/29.1	Pass
Ethyl acetate	5000	ND	25.4/76.1	Pass	Trichloroethylene	1	ND	0.607/1.82	Pass
Ethylene oxide	1	ND	1.20/3.61	Pass	o-Xylene	ND	ND	12.2/36.5	N/A
Ethyl ether	5000	ND	29.7/89.0	Pass	p- and m-Xylene	ND	ND	12.5/37.6	N/A
Heptane	5000	ND	27.4/82.3	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass



Signature

Signature

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jul 09, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.07/3.21	N/A	Aflatoxin G2		ND	0.727/2.48	N/A
Aflatoxin B2		ND	0.929/2.79	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.35/7.05	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					



Signature

Signature



**Brite
Box
Labs**
inc.

GC/MS ANALYSIS

ANALYTICAL REPORT

Brite Box Labs Inc.
20756 High Desert Ct Ste 6
Bend, OR 97701
(541) 299-2008
info@briteboxlabs.com
Briteboxlabs.com

Client: Ferris Wheel

Batch Number: CHRS658



Work Order: BB290

Job: NA

Report Date: June 21, 2026

Project: NA

Sample Count: 1

Sample ID: Description: **Ferris Wheel - Gummies - Sour Cherry 10ct** Date Analyzed: 6/20/2026
Analyst: BF

The sample was run in scan mode on a GC/MS scanning from 35-500m/z. Any peaks found were tentatively identified by matching the mass spectra against the NIST 11, containing over 200,000 compounds and the SWGDRUG mass spectra databases, which incorporates over 3800 illicit and recreational drugs. The following two compounds were tentatively identified:

Name	Type
Caffeine	Stimulant
Glycerol triacprylate	Triglyceride coating agent

Chromatogram:



Technical Director

Note:

- *For Research, Forensic, and Harm Reduction Purposes
- *Extracts are prepared in concentrations within DEA exemption limits
- *Samples are immediately rendered unusable upon completion of assay

Certificate of Analysis

Produced: Jul 09, 2026

Sample: Ferris Wheel - Gummies - Sour Cherry - 10ct (Edible Solid) • Client: TRE House • Batch: Pass



Batch No.: CHRS658
Matrix: Edible Solid
Sample ID: ICC-260707-14-002
Collected on: Jul 07, 2026
Received on: Jul 07, 2026
Batch Size:
Sample Size:

Batch Result: Pass

Solvents	Pass
Metals	Pass
Microbial	Pass
Mycotoxins	Pass
Pesticides	Pass

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.0657/0.197	Pass	Hexane	290	ND	3.30/9.89	Pass
Acetone	5000	ND	24.2/72.7	Pass	Isopropyl alcohol	5000	ND	28.0/83.9	Pass
Acetonitrile	410	ND	4.07/12.2	Pass	Methanol	3000	ND	22.8/68.5	Pass
Benzene	1	ND	0.0194/0.0582	Pass	Methylene chloride	1	ND	5.14/15.4	Pass
Butane	5000	ND	25.2/75.5	Pass	Pentane	5000	ND	23.5/70.6	Pass
Chloroform	1	ND	0.669/2.01	Pass	Propane	5000	ND	18.3/54.8	Pass
Ethanol	5000	ND	20.9/62.7	Pass	Toluene	890	ND	9.79/29.4	Pass
Ethyl acetate	5000	ND	25.6/76.7	Pass	Trichloroethylene	1	ND	0.612/1.84	Pass
Ethylene oxide	1	ND	1.21/3.64	Pass	o-Xylene	ND	ND	12.3/36.8	N/A
Ethyl ether	5000	ND	29.9/89.7	Pass	p- and m-Xylene	ND	ND	12.6/37.9	N/A
Heptane	5000	ND	27.6/82.9	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	0.00688	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass



Signature

Signature

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jul 09, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.08/3.23	N/A	Aflatoxin G2		ND	0.730/2.49	N/A
Aflatoxin B2		ND	0.933/2.80	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.36/7.07	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					



[Signature]

[Signature]



**Brite
Box
Labs** inc.

GC/MS ANALYSIS

ANALYTICAL REPORT

Brite Box Labs Inc.
20756 High Desert Ct Ste 6
Bend, OR 97701
(541) 299-2008
info@briteboxlabs.com
Briteboxlabs.com

Client: Ferris Wheel

Batch Number: TRPS633



Work Order: BB290

Job: NA

Report Date: June 21, 2026

Project: NA

Sample Count: 1

Sample ID: Description: **Ferris Wheel - Gummies - Sour Tropical 10ct** Date Analyzed: 6/20/2026
Analyst: BF

The sample was run in scan mode on a GC/MS scanning from 35-500m/z. Any peaks found were tentatively identified by matching the mass spectra against the NIST 11, containing over 200,000 compounds and the SWGDRUG mass spectra databases, which incorporates over 3800 illicit and recreational drugs. The following two compounds were tentatively identified:

Name	Type
Caffeine	Stimulant
Glycerol triacprylate	Triglyceride coating agent

Chromatogram:



Technical Director

Note:

- *For Research, Forensic, and Harm Reduction Purposes
- *Extracts are prepared in concentrations within DEA exemption limits
- *Samples are immediately rendered unusable upon completion of assay

Certificate of Analysis

Produced: Jul 09, 2026

Sample: Ferris Wheel - Gummies - Sour Tropical - 10ct (Edible Solid) • Client: TRE House • Batch: Pass



Batch No.: TRPS633
Matrix: Edible Solid
Sample ID: ICC-260707-14-001
Collected on: Jul 07, 2026
Received on: Jul 07, 2026
Batch Size:
Sample Size:

Batch Result: Pass

Solvents	Pass
Metals	Pass
Microbial	Pass
Mycotoxins	Pass
Pesticides	Pass

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.0654/0.196	Pass	Hexane	290	ND	3.28/9.84	Pass
Acetone	5000	ND	24.1/72.3	Pass	Isopropyl alcohol	5000	ND	27.8/83.5	Pass
Acetonitrile	410	ND	4.05/12.2	Pass	Methanol	3000	ND	22.7/68.1	Pass
Benzene	1	ND	0.0193/0.0579	Pass	Methylene chloride	1	ND	5.12/15.4	Pass
Butane	5000	ND	25.0/75.1	Pass	Pentane	5000	ND	23.4/70.2	Pass
Chloroform	1	ND	0.665/2.00	Pass	Propane	5000	ND	18.2/54.5	Pass
Ethanol	5000	ND	20.8/62.4	Pass	Toluene	890	ND	9.74/29.2	Pass
Ethyl acetate	5000	ND	25.4/76.3	Pass	Trichloroethylene	1	ND	0.609/1.83	Pass
Ethylene oxide	1	ND	1.21/3.62	Pass	o-Xylene	ND	ND	12.2/36.6	N/A
Ethyl ether	5000	ND	29.8/89.3	Pass	p- and m-Xylene	ND	ND	12.6/37.7	N/A
Heptane	5000	ND	27.5/82.5	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass



Signature

Signature

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable)
• Jul 09, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.06/3.19	N/A	Aflatoxin G2		ND	0.722/2.46	N/A
Aflatoxin B2		ND	0.922/2.77	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.33/6.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifentazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					



[Signature]

[Signature]



**Brite
Box
Labs**
inc.

GC/MS ANALYSIS

ANALYTICAL REPORT

Brite Box Labs Inc.
20756 High Desert Ct Ste 6
Bend, OR 97701
(541) 299-2008
info@briteboxlabs.com
Briteboxlabs.com

Client: Ferris Wheel

Batch Number: STST519



Work Order: BB290

Job: NA

Report Date: June 21, 2026

Project: NA

Sample Count: 1

Sample ID: Description: **Ferris Wheel - Gummies - Strawberry 10ct** Date Analyzed: 6/20/2026
Analyst: BF

The sample was run in scan mode on a GC/MS scanning from 35-500m/z. Any peaks found were tentatively identified by matching the mass spectra against the NIST 11, containing over 200,000 compounds and the SWGDRUG mass spectra databases, which incorporates over 3800 illicit and recreational drugs. The following two compounds were tentatively identified:

Name	Type
Caffeine	Stimulant
Glycerol triacprylate	Triglyceride coating agent

Chromatogram:



Technical Director

Note:

- *For Research, Forensic, and Harm Reduction Purposes
- *Extracts are prepared in concentrations within DEA exemption limits
- *Samples are immediately rendered unusable upon completion of assay

Certificate of Analysis

Produced: Jul 09, 2026

Sample: Ferris Wheel - Gummies - Strawberry - 10ct (Edible Solid) • Client: TRE House • Batch: Pass



Batch No.: STST519
Matrix: Edible Solid
Sample ID: ICC-260707-14-004
Collected on: Jul 07, 2026
Received on: Jul 07, 2026
Batch Size:
Sample Size:

Batch Result: Pass

Solvents	Pass
Metals	Pass
Microbial	Pass
Mycotoxins	Pass
Pesticides	Pass

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.0650/0.195	Pass	Hexane	290	ND	3.26/9.78	Pass
Acetone	5000	ND	24.0/71.9	Pass	Isopropyl alcohol	5000	ND	27.6/82.9	Pass
Acetonitrile	410	ND	4.02/12.1	Pass	Methanol	3000	< LOQ	22.6/67.7	Pass
Benzene	1	ND	0.0192/0.0575	Pass	Methylene chloride	1	ND	5.08/15.3	Pass
Butane	5000	ND	24.9/74.6	Pass	Pentane	5000	ND	23.3/69.8	Pass
Chloroform	1	ND	0.661/1.98	Pass	Propane	5000	ND	18.0/54.1	Pass
Ethanol	5000	ND	20.7/62.0	Pass	Toluene	890	ND	9.68/29.0	Pass
Ethyl acetate	5000	ND	25.3/75.8	Pass	Trichloroethylene	1	ND	0.605/1.81	Pass
Ethylene oxide	1	ND	1.20/3.60	Pass	o-Xylene	ND	ND	12.1/36.4	N/A
Ethyl ether	5000	ND	29.6/88.7	Pass	p- and m-Xylene	ND	ND	12.5/37.5	N/A
Heptane	5000	ND	27.3/81.9	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass



Signature

Signature

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jul 09, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.07/3.21	N/A	Aflatoxin G2		ND	0.726/2.48	N/A
Aflatoxin B2		ND	0.928/2.78	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.35/7.04	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					



Signature

Signature



**Brite
Box
Labs** inc.

GC/MS ANALYSIS

ANALYTICAL REPORT

Brite Box Labs Inc.
20756 High Desert Ct Ste 6
Bend, OR 97701
(541) 299-2008
info@briteboxlabs.com
Briteboxlabs.com

Client: Ferris Wheel

Batch Number: WMST472



Work Order: BB290

Job: NA

Report Date: June 21, 2026

Project: NA

Sample Count: 1

Sample ID: Description: **Ferris Wheel - Gummies - Watermelon 10ct** Date Analyzed: 6/20/2026
Analyst: BF

The sample was run in scan mode on a GC/MS scanning from 35-500m/z. Any peaks found were tentatively identified by matching the mass spectra against the NIST 11, containing over 200,000 compounds and the SWGDRUG mass spectra databases, which incorporates over 3800 illicit and recreational drugs. The following two compounds were tentatively identified:

Name	Type
Caffeine	Stimulant
Glycerol triacprylate	Triglyceride coating agent

Chromatogram:



Technical Director

Note:

- *For Research, Forensic, and Harm Reduction Purposes
- *Extracts are prepared in concentrations within DEA exemption limits
- *Samples are immediately rendered unusable upon completion of assay

Certificate of Analysis

Produced: Jul 09, 2026

Sample: Ferris Wheel - Gummies - Watermelon - 10ct (Edible Solid) • Client: TRE House • Batch: Pass



Batch No.: WMST472
Matrix: Edible Solid
Sample ID: ICC-260707-14-005
Collected on: Jul 07, 2026
Received on: Jul 07, 2026
Batch Size:
Sample Size:

Batch Result: Pass

Solvents	Pass
Metals	Pass
Microbial	Pass
Mycotoxins	Pass
Pesticides	Pass

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.0657/0.197	Pass	Hexane	290	ND	3.29/9.88	Pass
Acetone	5000	ND	24.2/72.7	Pass	Isopropyl alcohol	5000	ND	28.0/83.9	Pass
Acetonitrile	410	ND	4.07/12.2	Pass	Methanol	3000	ND	22.8/68.4	Pass
Benzene	1	ND	0.0194/0.0581	Pass	Methylene chloride	1	ND	5.14/15.4	Pass
Butane	5000	ND	25.1/75.4	Pass	Pentane	5000	ND	23.5/70.5	Pass
Chloroform	1	ND	0.668/2.00	Pass	Propane	5000	ND	18.2/54.7	Pass
Ethanol	5000	ND	20.9/62.7	Pass	Toluene	890	ND	9.79/29.4	Pass
Ethyl acetate	5000	ND	25.6/76.7	Pass	Trichloroethylene	1	ND	0.612/1.83	Pass
Ethylene oxide	1	ND	1.21/3.64	Pass	o-Xylene	ND	ND	12.3/36.8	N/A
Ethyl ether	5000	ND	29.9/89.7	Pass	p- and m-Xylene	ND	ND	12.6/37.9	N/A
Heptane	5000	ND	27.6/82.9	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass



Signature

Signature

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jul 09, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.06/3.18	N/A	Aflatoxin G2		ND	0.720/2.46	N/A
Aflatoxin B2		ND	0.920/2.76	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.33/6.98	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifentazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					



[Signature]

[Signature]